

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 0 904 758 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
31.03.1999 Bulletin 1999/13

(51) Int Cl.⁶: **A61F 13/15, A61F 13/42**

(21) Application number: **98307863.5**

(22) Date of filing: **28.09.1998**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Otsubo, Toshifumi,**
c/o Research & Development Div.
Mitoyo-gun, Kagawa-ken 769-1602 (JP)

(74) Representative: **Parry, Christopher Stephen**
Saunders & Dolleymore,
9 Rickmansworth Road
Watford, Herts. WD1 7HE (GB)

(30) Priority: **29.09.1997 JP 264656/97**


(71) Applicant: **UNI-CHARM CORPORATION**
Kawanoe-shi Ehime-ken (JP)

(54) **Disposable training pants**

(57) A disposable training pants include a basic structure wet telling means provided inside the basic structure. The basic structure include a pair of elastically stretchable/contractile suspender sheets extending circumferentially of front and rear waist regions of the basic

structure, respectively, and an elastically stretchable/contractile crotch covering sheet secured at its longitudinally opposite ends to the respective suspender sheets at their middle portions so as to extend between the front and rear waist regions and serving to make a baby aware of wetness.

FIG.3



Description

[0001] This invention relates to disposable training pants and more particularly to such pants useful to be put on a baby who should be trained so that the baby can smoothly proceed to a stage of life requiring no diaper.

[0002] Training pants of this type are well known, for example, from Japanese Utility Model Application Disclosure No. Hei7-33916, in which a wetness holding sheet is bonded along its longitudinally opposite ends to an inner surface of a pants basic structure in its crotch region.

[0003] In the above-mentioned training pants, the wetness holding sheet does not extend longitudinally beyond the crotch region. A dimension of the wetness holding sheet as measured between its two fulcra at which the wetness holding sheet is bonded to the basic structure is correspondingly small. Consequently, a degree of freedom for a relative movement between the wetness holding sheet and the basic structure is too limited to stabilize the wetness holding sheet properly and satisfactorily in close contact with the baby's crotch and thereby to reliably make the baby aware of wetness.

[0004] In view of the above problem, it is an object of the invention to provide disposable training pants provided with wetness telling means adapted to satisfy requirements such that the degree of freedom is sufficiently high to stabilize the wetness telling means properly and satisfactorily in close contact with the baby's crotch and thereby to improve a wetness telling effect thereof.

[0005] According to the invention is provided an improvement in disposable training pants comprising a basic structure composed of a liquid-permeable topsheet, a liquid-impermeable backsheet and a liquid-absorbent core disposed between these two sheets so as to define front and rear waist regions, a crotch region, a waist-opening and a pair of leg-openings, the openings being respectively provided with elastic members adapted to be stretchable/contractile circumferentially of the respective openings; and wetness telling means provided inside the basic structure.

[0006] The improvement is characterized in that the wetness telling means comprise a pair of elastically stretchable/contractile suspender sheets respectively provided on an upper surface of the topsheet in the front and rear waist regions so as to extend circumferentially of the front and rear waist regions, each of the suspender sheets having upper and lower ends parallelly extending circumferentially of the associated one of the waist regions and transversely opposite side edges connecting these upper and lower ends to each other, and a crotch covering sheet secured at longitudinally opposite ends to the paired suspender sheets in the proximity of their middle portions; the wetness telling means are attached to the basic structure by securing the upper ends of the paired suspender sheets to the basic structure in the proximity of the front and rear upper ends of

the waist-opening and securing the transversely opposite side edges of the paired suspender sheets to the basic structure in the proximity of the transversely opposite side edges of the front and rear waist regions; and the crotch covering sheet has its transverse dimension insufficient to extend outward beyond the elastically stretchable/contractile members provided in association with the leg-openings.

[0007] Embodiments of the invention are described below with reference to the accompanying drawings, in which:

Fig. 1 is a perspective view of disposable training pants according to the invention;

Fig. 2 is a plan view of an inner side of the partly cutaway pants as unfolded; and

Fig. 3 is a sectional view of the pants taken along a longitudinal center line.

[0008] Specific modes in which the invention may be implemented will be described in details in reference with the accompanying drawings.

[0009] Referring to Figs. 1 ~ 3, disposable pants according to the invention includes a basic structure 1 and wetness telling means 2. The basic structure 1 includes a liquid-permeable topsheet 3, a liquid-impermeable backsheet 4 and an hourglass-shaped liquid-absorbent core 5 disposed between the two sheets 3, 4. The basic structure 1 assembled from these components defines a front waist region 6, a rear waist region 7 and a crotch region 8 extending between the front and rear waist regions 6, 7. The topsheet 3 and the backsheet 4 extend outward beyond peripheral edges of the core 5 longitudinally as well as transversely to define respective extensions and their transversely opposite side edges in the crotch region 8 describe concavely curved lines 9, 9. Longitudinally opposite extensions of the topsheet 3 and the backsheet 4 contain therebetween elastically stretchable/contractile members 10, 10 circumferentially acting upon the front and rear waist regions 6, 7 in a circumferential direction. Transversely opposite extensions of the topsheet 3 and the backsheet 4 contain therebetween elastically stretchable/contractile members 11, 11 acting thereupon along the concavely curved lines 9, 9, respectively. The elastically stretchable/contractile members 10, 10, 11, 11 are secured to the respective extensions under appropriate tension longitudinally of these members 10, 10, 11, 11. The basic structure 1 is folded in two along a transverse center line extending across the crotch region 8 with the topsheet 3 lying inside the basic structure 1. The front and rear waist regions 6, 7 are then intermittently bonded together along transversely opposite side edges 12, 12 of these front and rear waist regions 6, 7 by means of heat-sealing so as to define a waist-opening 13 and a pair of leg-openings 14, 14.

[0010] Construction of the basic structure is well known and materials for the respective components are

also well known. Fundamentally, it is essential for the basic structure 1 assembled with the wetness telling means only to have the construction as has been described hereinabove. Additional arrangements and/or components are not important for the invention.

[0011] The wetness telling means 2 include a pair of suspender sheets 15, 15 and a crotch covering sheet 16. Each of the suspender sheets 15, 15 has upper and lower ends 15a, 15b extending circumferentially around the waist regions and transversely opposite side edges 15c, 15d connecting the upper and lower ends 15a, 15b to each other. The respective suspender sheets 15, 15 are provided in the form of rectangular strips narrower than the front and rear waist regions 6, 7, respectively. These paired suspender sheets 15, 15 are secured to the front and rear waist regions 6, 7 with their upper ends 15a, 15a to upper ends of the waist-opening 13 defined on the sides of the front and rear waist regions 6, 7, respectively and with their transversely opposite side edges 15c, 15d to the transversely opposite side edges of the front and rear waist regions 6, 7, respectively. The respective lower ends 15b, 15b are left free. There are provided a plurality of elastically stretchable/contractile members 17 in the proximity of the respective lower free ends 15b, 15b so that these members 17 may act upon the suspender sheets 15, 15 circumferentially of the waist regions, respectively. The crotch covering sheet 16 has a width smaller than a dimension by which the elastically stretchable members 11, 11 associated with the respective leg-openings 14, 14 are spaced from each other. The crotch covering member 16 extends between the paired suspender sheets 15, 15 and are secured to middle portions of the respective suspender sheets 15, 15 in the proximity of their lower free ends 15b, 15b. The crotch covering member 16 is provided along its transversely opposite side edges with elastically stretchable/contractile members 18, 18 adapted to act thereupon along these side edges.

[0012] The crotch covering member 16 may be made of a sheet which can absorb and hold a quantity of urine discharged thereon, for example, a hydrophilic fibrous sheet or a foamed plastic sheet having open cells. Inversely, it is also possible to form the crotch covering sheet 16 using a hydrophobic fibrous sheet or a foamed plastic sheet having closed cells which are urine-unabsorbent but substantially urine-impermeable. In fact, it is not important whether the crotch covering sheet 16 should be made of hydrophilic material or hydrophobic material so far as an adequate quantity of urine stays on the crotch covering sheet 16 in contact with the baby's skin make the baby aware of wetness. Such material will be easily prepared by those skilled in the art.

[0013] In the disposable training pants according to the invention, a dimension of the crotch covering sheet extending between front and rear fulcra as measured longitudinally of the basic structure is relatively large. This is achieved by the unique arrangement as follows: The suspender sheets as the components of the wet-

ness telling means are secured in the proximity of their upper ends and transversely opposite side edges to the basic structure in the proximity of the upper ends and the transversely opposite side edges of the front and rear waist regions. The crotch covering sheet forming the most important component of the wetness telling means is suspended from the lower free ends of the paired suspender sheets along which the crotch covering sheet is secured to the respective suspender sheets. In contrast with the conventional training pants in which the front and rear fulcra for the crotch covering sheet lie in the crotch region, a higher degree of freedom is ensured for a relative movement between the crotch covering sheet and the basic structure. This means that the crotch covering sheet is properly and satisfactorily stabilized in close contact with the baby's crotch while the crotch covering sheet is, at least principally, suspended in midair. Accordingly, even if any external force moves the basic structure relatively to the baby's body, the crotch covering sheet can be maintained in the close contact and reliably make the baby aware of wetness without being affected by the movement of the basic structure.

[0014] The paired suspender sheets secured to the basic structure in the proximity of the waist-opening have the elastically stretchable members provided independently of the elastically stretchable members associated with the basic structure. These elastically stretchable members of the suspender sheets allow the suspender sheets to suspend the crotch covering sheet so as to be elastically kept in close contact with lower portions of the baby's trunk. In this manner, the paired suspender sheets are very effective to stabilize the crotch covering sheet relatively to the baby's crotch and thereby to prevent the crotch covering sheet from being easily displaced from its proper position.

Claims

1. Disposable training pants comprising a basic structure composed of a liquid-permeable topsheet, a liquid-impermeable backsheet and a liquid-absorbent core disposed between these two sheets so as to define front and rear waist regions, a crotch region, a waist-opening and a pair of leg-openings, said waist-opening and said leg-openings being respectively provided with elastic members adapted to be stretchable/contractile circumferentially thereof; and wetness telling means provided inside said basic structure, wherein:

said wetness telling means include a pair of elastically stretchable/contractile suspender sheets respectively provided on an upper surface of said topsheet in said front and rear waist regions so as to extend in circumferentially of the front and rear waist regions, each of said

suspender sheets having upper and lower ends
 parallelly extending circumferentially of the as-
 sociated one of said waist regions and trans-
 versely opposite side edges connecting said
 upper and lower ends to each other, and a 5
 crotch covering sheet secured at longitudinally
 opposite ends of said crotch covering sheet to
 said paired suspender sheets in the proximity
 of middle portions of said paired suspender
 sheet; said wetness telling means are attached 10
 to the basic structure by securing said upper
 ends of said paired suspender sheets to said
 basic structure in the proximity of the front and
 rear upper ends of said waist-opening and se-
 curing said transversely opposite side edges of 15
 said paired suspender sheets to said basic
 structure in the proximity of the transversely op-
 posite side edges of said front and rear waist
 regions; and
 said crotch covering sheet has a transverse di- 20
 mension insufficient to extend outward beyond
 said elastically stretchable/contractile mem-
 bers provided in association with said leg-open-
 ings.

25

2. The disposable training pants according to Claim 1,
 wherein said paired suspender sheets are made
 elastically stretchable/contractile by providing them
 with elastically stretchable/contractile members
 adapted to act circumferentially of said front and 30
 rear waist regions, respectively.
3. The disposable training pants according to Claim 1,
 wherein said crotch covering sheet is elastically
 stretchable/contractile. 35
4. The disposable training pants according to Claim 3,
 wherein said crotch covering sheet is made elasti-
 cally stretchable/contractile by providing this at
 least along transversely opposite side edges there- 40
 of with elastically stretchable/contractile members.
5. The disposable training pants according to Claim 1,
 wherein said crotch covering sheet is hydrophilic. 45
6. The disposable training pants according to Claim 1,
 wherein said crotch covering sheet is hydrophobic
 and substantially liquid-impermeable.

50

55

FIG. 1




FIG.2






FIG.3





Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 0 904 758 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
03.05.2000 Bulletin 2000/18

(51) Int Cl.⁷: **A61F 13/15, A61F 13/42**

(43) Date of publication A2:
31.03.1999 Bulletin 1999/13

(21) Application number: **98307863.5**

(22) Date of filing: **28.09.1998**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Otsubo, Toshifumi,**
c/o Research & Development Div.
Mitoyo-gun, Kagawa-ken 769-1602 (JP)

(30) Priority: **29.09.1997 JP 26465697**

(74) Representative: **Parry, Christopher Stephen**
Saunders & Dolleymore,
9 Rickmansworth Road
Watford, Herts. WD1 7HE (GB)


(71) Applicant: **UNI-CHARM CORPORATION**
Kawanoe-shi Ehime-ken (JP)

(54) **Disposable training pants**

(57) A disposable training pants include a basic structure wet telling means provided inside the basic structure. The basic structure include a pair of elastically stretchable/contractile suspender sheets extending circumferentially of front and rear waist regions of the basic

structure, respectively, and an elastically stretchable/contractile crotch covering sheet secured at its longitudinally opposite ends to the respective suspender sheets at their middle portions so as to extend between the front and rear waist regions and serving to make a baby aware of wetness.

FIG.3



EP 0 904 758 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 98 30 7863

| DOCUMENTS CONSIDERED TO BE RELEVANT | | | |
|---|---|--|--|
| Category | Citation of document with indication, where appropriate, of relevant passages | Relevant to claim | CLASSIFICATION OF THE APPLICATION (Int.Cl.5) |
| A | EP 0 661 031 A (UNI CHARM CORP) 5 July 1995 (1995-07-05) * column 3, line 11 - column 4, line 36; figures 1-5 * ----- | 1,3,5 | A61F13/15 A61F13/42 |
| | | | TECHNICAL FIELDS SEARCHED (Int.Cl.6) |
| | | | A61F |
| The present search report has been drawn up for all claims | | | |
| Place of search MUNICH | | Date of completion of the search 29 February 2000 | Examiner Louter, P |
| <p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant: if taken alone Y : particularly relevant: if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p> | | | |

EPO FORM 1503 03.92 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 98 30 7863

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

29-02-2000

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|---|---------------------|----------------------------|---------------------|
| EP 0661031 A | 05-07-1995 | AU 687442 B | 26-02-1998 |
| | | AU 7770694 A | 01-06-1995 |
| | | CA 2136064 A | 27-05-1995 |
| | | CN 2210547 U | 25-10-1995 |
| | | SG 55085 A | 21-12-1998 |
| | | US 5891124 A | 06-04-1999 |
| ----- | | | |

EPC FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82